

TECHNICAL DATA SHEET

NBR

2914

DESCRIPTION

- Special NBR for gasoline. Excellent resistance to oils and very good elongation.






COLOUR:

- Black

FEATURES

APPLICATIONS

TECHNICAL PROPERTIES			
	VALUE	UNIT	STANDARD
SPECIFIC WEIGHT	1,29 +/- 0,03	g/cm ³	UNE 53526
HARDNESS	60+/- 5	°Sh A	DIN ISO 7619-1
TENSILE STRENGTH	11 min	MPa	UNE-ISO 37
ELONGATION	560 min	%	UNE-ISO 37
COMPRESION SET (24h, 70°C)	30 Mean values	%	UNE-ISO 815-1
OIL SWEL. ASTM1 (72h, 100°C)	-3 Mean values	%	UNE ISO 1817
OIL SWEL. IRM903 (72h, 100°C)	+9 Mean values	%	UNE ISO 1817
WORKING TEMPERATURE	-20/+100	°C	

CHEMICAL RESISTANCE		
OZONE RESISTANCE	MODERATE	
WEATHER RESISTANCE	MODERATE	
OIL RESISTANCE	EXCELLENT	
ACID RESISTANCE	POOR	
BASE RESISTANCE	MODERATE	

The technical information contained in this data sheet is the result of performing tests on laboratory samples according to the standards mentioned above. The customer is responsible for evaluating the suitability of the product according to their specific requirements. Values may be updated without prior notice.

www.idcrubber.com